

# Capitolo 8

## BIBLIOGRAFIA



**A**

- Acuña V., Wolf A., Uehlinger U., e Tockner K., 2008. Temperature dependence of stream benthic respiration in an Alpine river network under global warming. *Freshwater Biology*, 53: 2076-2088.
- Agosta P., Bo T., Fenoglio S. e Morisi A., 2001. *Brachyptera monilicornis* (Pictet, 1842): nuove segnalazioni per il Piemonte (Plecoptera, Taeniopterygidae). *Rivista Piemontese di Storia Naturale*, 22: 151-154.
- Allan J.D., 1995. *Stream ecology. Structure and function of running waters.* Chapman e Hall, London.
- Allan J.D. e Castillo M.M., 2007. *Stream ecology. Structure and function of running waters.* 2nd ed. Dordrecht: Springer Editions. *Journal of the Fisheries Research Board of Canada*, vol. 36.
- Argano R. e Gandolfi, G., 2004. Freshwater invertebrates and fish. Pp. 164-197. In: *Wildlife in Italy*, Minelli, A., Chemini, C., Argano, R. Ruffo, S. (Eds.), Touring Editore, Milan, and Italian Ministry for the Environment and Territory, Rome.
- Arsuffi T.L. e Suberkropp K., 1984. Leaf processing capabilities of aquatic hyphomycetes: Interspecific differences and influence on shredder feeding preferences. *Oikos*, 42: 144-154.
- Arsuffi T.L. e Suberkropp K., 1989. Selective feeding by shredders on leaf-colonizing stream fungi: comparison of macroinvertebrate taxa. *Oecologia*, 79: 30-37.
- Azzouz M. e Sánchez-Ortega A., 2000: Feeding of the nymphs of nine stonefly species (Insecta: Plecoptera) from North Africa (Rif Mountains, Morocco). *Zoologica Baetica*, 11: 35-50.

**B**

- Baerlocher F., 1990. Factors that delay colonization of fresh alder leaves by aquatic hyphomycetes. *Archiv für Hydrobiologie*, 119: 249-255.
- Baerlocher F., 1992. Effects of drying and freezing autumn leaves on leaching and colonization by aquatic hyphomycetes. *Freshwater Biology*, 28: 1-7.
- Baldy V., Gessner M.O. e Chauvet E., 1995. Bacteria, fungi and the breakdown of leaf litter in a large river. *Oikos*, 74: 93-102.

- Bartoli M. e Viaroli P., 2006. Zone umide perifluviali: processi biogeochimici, funzioni ecologiche, problemi di gestione e conservazione. *Biologia Ambientale*, 20 (2): 43-54
- Basaguren A. e Pozo J., 1994. Leaf litter processing of alder and eucalyptus in the Agüera stream system (Northern Spain). II. Macroinvertebrates associated. *Archiv für Hydrobiologie*, 132: 57-68.
- Bauernfeind E. e Humpesch U.H., 2001. Die *Eintagsfliegen zentraleuropas* (Insecta: Ephemeroptera): Bestimmung und Ökologie. Verlag des Naturhistorischen Museums Wien, pp. 240.
- Belfiore C., 1983. Guide per il riconoscimento delle specie animali delle acque interne italiane. 24. Efemerotteri (Ephemeroptera). Consiglio Nazionale delle Ricerche, Verona.
- Bello C.L., e Cabrera M.I., 1999. Uso de la técnica microhistológica de Cavender y Hansen en la identificación de insectos acuáticos. *Boletín de Entomología Venezolana* 14, 77-79.
- Benfield E.F., Jones D.S. e Patterson M.F., 1977. Leaf pack processing in a pastureland stream. *Oikos*, 29: 99-103.
- Benfield E.F., Paul R.W. e Webster J.R., 1979. Benfield E.F., Paul R.W. e Webster J.R., 1979. Influence of exposure technique on leaf breakdown rates in streams. *Oikos*, 33: 386-391.
- Benfield E.F., 1997. Comparison of litterfall input to streams. *Journal of the North American Benthological Society*, 16: 104-108.
- Beniston M., 2006. Mountain weather and climate: a general overview and a focus on climatic change in the Alps. *Hydrobiologia*, 562: 3-16.
- Biggs B.J.F. e Kilroy C., 2000. Stream periphyton monitoring manual. New Zealand Ministry for the Environment and Nation Institute of Water and Atmospheric Research.
- Bird G.A. e Kaushik N.K., 1981. Coarse particulate organic matter in streams, in M. A. Lock e D. D. Williams editor. *Perspectives in running water ecology*. Plenum Press., New York.
- Bisazza, A., Marconato A. e Marin G., 1989. Male competition and female choice in *Padogobius martensi* (Pisces, Gobiidae). *Animal Behaviour*, 38: 406-413.
- Bizzotto E.C., Villa S., e Vighi M., 2009. POP bioaccumulation in macroinvertebrates of alpine freshwater systems. *Environmental Pollution* 157:3192-3198.

- Bo T. e Fenoglio S., 2003. Vita nelle cascate: i Blefariceridi. Parco Naturale Sacro Monte di Crea. *Biomonf* n.1, Anno III.
- Bo T., Fenoglio S., Agosta P. e Cucco M., 2003. Distribuzione del macrozoobenthos e disponibilità di microhabitat in un torrente ligure (Rio del Giovo, Sassello). *Acta Biologica*, 78: 59-62.
- Bo T., Fenoglio S., Malacarne G., Pessino M. e Sgariboldi F., 2007. Effect of clogging on stream macroinvertebrates: an experimental approach. *Limnologica*, 37: 186-192.
- Bo T., Fenoglio S., Lopez-Rodriguez M.J., e Tierno de Figueroa J.M., 2009. Phenology of adult stoneflies (Plecoptera) of the Curone Stream (Northern Apennines, Italy). *Journal of Freshwater Ecology*, 24: 279-283.
- Bo T. e Fenoglio S., 2011. Impacts of a micro-sewage effluent on the biota of a small Apennine creek. *Journal of Freshwater Ecology*, 26: 537-545.
- Boano F., Camporeale C., Cavagnero P., Fenoglio S., Revelli R. e Ridolfi L., 2011. Mini hydro e impatti ambientali. Sintesi organizzata dello stato dell'arte scientifico. Regione Piemonte. *Renefor*. 330 pp.
- Bolpagni R., Pierobon E., Longhi D., Nizzoli D., Bartoli M., Tomaselli M. e Viaroli P., 2007. Diurnal Exchanges of CO<sub>2</sub> and CH<sub>4</sub> across the water-Atmosphere interface in a water chestnut meadow (*Trapa natans* L.). *Aquatic Botany*, 87: 43-48.
- Boulton A.J. e Boon P.I., 1991. A review of methodology used to measure leaf litter decomposition in lotic environments: time to turn over a new leaf? *Australian Journal of Marine and Freshwater Research*, 42: 1-43.
- Boulton A.J. e Lake P.S., 1992. The ecology of two intermittent streams in Victoria, Australia. III. Temporal changes in faunal composition. *Freshwater Biology*, 26: 123-138.
- Bowman W.D. e Seastedt T.R., 2001: Structure and function of an alpine ecosystem – Niwot Ridge, Colorado. Oxford University Press, Oxford, 337 p.
- Brittain J. E. e Milner A.M., 2001. Ecology of glacier-fed rivers: current status and concepts. *Freshwater Biology*, 46: 1571-1578.
- Brooks A.J., Haeusler T., Reinfelds I. e Williams S., 2005. Hydraulic microhabitats and the distribution of macroinvertebrate assemblages in riffles. *Freshwater Biology*, 50 (2): 331-344.

- Brown L.E., Hannah D.M., e Milner A.M., 2007. Vulnerability of alpine stream biodiversity to shrinking glaciers and snowpacks. *Global Change Biology*, 13: 958-966.
- Brown L.E., Hannah D. M. e Milner A.M., 2009. ARISE: a classification tool for Alpine River and Stream Ecosystems. *Freshwater Biology*, 54: 1357-1369.
- Bruno C., Maiolini B., Carolli B., e Silveri L., 2010. Short time-scale impacts of hydropeaking on benthic invertebrates in an Alpine stream (Trentino, Italy). *Limnologica*, 40: 281-290.
- Brusven M.A., Meehan W.R. e Biggam R.C., 1990. The role of aquatic moss on community composition and drift of fish-food organisms. *Hydrobiologia*, 196: 39-50.
- Buffagni A., Cazzola M., López-Rodríguez M.J., Alba-Tercedor J. e Armanini, D.G., 2009. Distribution and ecological preferences of Europea freshwater organisms. Volume 3. Ephemeroptera. Schmidt-Kloiber A., Hering D. (Eds.), Pensoft, Sofia-Moscow, pp. 254.

## C

- Cammarata M., Fenoglio S., López-Rodríguez M.J., Bo T. e Tierno de Figueroa J.M., 2007. Prey selection of *Perla grandis* (Rambur, 1841) nymphs (Plecoptera: Perlidae) in Borbera stream (NW, Italy). *Boletín Sociedad Entomológica Aragonesa*, 41: 271-274.
- Campaioli S., Ghetti P.F., Minelli A. e Ruffo S., 1994. Manuale per il riconoscimento dei macroinvertebrati delle acque dolci italiane. Provincia Autonoma di Trento, Trento, Vol. I.
- Campaioli S., Ghetti P.F., Minelli A. e Ruffo S., 1999. Manuale per il riconoscimento dei macroinvertebrati delle acque dolci italiane. Provincia Autonoma di Trento, Trento, Vol. II.
- Campos J. e González J.M., 2009. *Sericostoma vittatum* (Trichoptera) larvae are able to use pine litter as an energy source. *International Review of Hydrobiology* 94:472-483.
- Canhoto C. e Graça M.A.S., 1995. Food value of introduced eucalypt leaves for a Mediterranean stream detritivore: *Tipula lateralis*. *Freshwater Biology*, 34: 209-14.
- Canhoto C. e Graça M.A.S., 1996. Decomposition of Eucalyptus globulus leaves and three native leaf species (*Alnus glutinosa*, *Castanea sativa* and *Quercus faginea*) in a Portuguese low order stream. *Hydrobiologia*, 333: 79-85.

- Carr G.M., Morin A. e Chambers P.A., 2005. Bacteria and algae in stream periphyton along a nutrient gradient. *Freshwater Biology*, 50: 1337-1350.
- Casas J.J., 1996. Environmental patchiness and processing of maple leaf litter in a backwater of a mountain stream: riffle area vs. Debris dams. *Archiv für Hydrobiologie*, 136 : 489-508.
- Casas J.J. e Gessner M.O., 1999. Leaf litter breakdown in a Mediterranean stream characterised by travertine precipitation. *Freshwater Biology*, 41: 781-793.
- Castella E., Adalsteinsson H., Brittain J.E., Gisslasson G.M., Lehmann A., Lencioni V., Lods-Crozet B., Maiolini B., Milner A.M. Olafson J., Saltveit S.J. e Snook D.L., 2001. Macrobenthic invertebrate richness and composition along a latitudinal gradient of european glacier-fed streams. *Freshwater Biology*, 46: 1811-31
- Chapin F.S. e Koerner C., 1995: Arctic and alpine biodiversity. Springer-Verlag, Berlin, 332 p.
- Charlebois P.M., Marsden J.E., Goettel R.G., Wolfe R.K., Jude D.L., e Fudnicka S., 1997. The round goby, *Neogobius melanostomus* (Pallas), a review of European and North American literature Illinois-Indiana Sea Grant Program and Illinois Natural History Survey. Champaign, INHS Special Publication No. 20.
- Chauvet E., 1991. Aquatic hyphomycete distribution in South-Western France. *Journal of Biogeography*, 18: 699-706.
- Chergui H. e Pattée E., 1988. The impact of benthic invertebrates in the breakdown of popular leaves in the network of a large European river. *Archiv für Hydrobiologie*, 113: 15-25.
- Chergui H. e Pattee E., 1990. The processing of leaves of trees and aquatic macrophytes in the network of the river Rhone. *Internationale Revue der gesamten Hydrobiologie*, 75 : 281-302.
- Cid N., Ibáñez C. e Prat N. 2008. Life history and production of the burrowing mayfly *Ephoron virgo* (Olivier, 1791) (Ephemeroptera: Polymitarcyidae) in the lower Ebro river: a comparison after 18 years. *Aquatic Insects*, 30: 163–178.
- Clavero M. e Garcia-Berthou E., 2005. Invasive species are a leading cause of animal extinctions. *Trends in Ecology and Evolution*, 20: 110.
- Closs G., Downes B. e Boulton A., 2004. *Freshwater Ecology - A Scientific Introduction*, Blackwell Publishing, Oxford. 221 p.
- Collen P., Keay E.J., e Morrison B.R.S., 2004. Processing of pine (*Pinus sylvestris*) and birch (*Betula pubescens*) leaf material in a small river system in the northern Cairngorms, Scotland. *Hydrology and Earth System Sciences*. 8: 567-577.

- Corkum L.D., 1992. Relationships between density of macroinvertebrates and detritus in rivers. *Archiv für Hydrobiologie*, 125: 149-166.
- Cummins K.W., 1973. Trophic relations of aquatic insects. *Annual Review of Entomology*, 18: 183-206.
- Cummins, K.W., Petersen R.C., Howard F.O., Wuycheck J.C. e Holt V.I., 1973. The utilization of leaf litter by stream detritivores. *Ecology*, 54: 336-345.
- Cummins K.W., 1974. Structure and function of stream ecosystems. *Bioscience*, 24: 631-641.
- Cummins K.W. e Klug M.J., 1979. Feeding ecology of stream invertebrates. *Annual Review of Ecology and Systematics*. 10: 147-172.
- Cummins K.W., Spengler G.L, Ward G.M, Speaker R.M., Ovink R.W, Mahan D.C e Petersen R.C., 1980. Processing of confined and naturally entrained leaf litter in a woodland stream ecosystem. *Limnology and Oceanography*, 25: 952-957.
- Cummins K.W., Klug M.J., Ward G.M., Splenger G.L., Speaker R.W., Ovink R.W., Mahan D.C. e Petersen R.C., 1981. Trends in particulate organic matter fluxes, community process and macroinvertebrate functional group along a Great Lakes Drainage Basin river continuum. *Verhandlungen Internationale Vereinigung für Theoretische und Angewandte Limnologie.*, 21: 841-849.
- Cummins K.W. e Wilzbach M.A., 1985. Field Procedures for Analysis of Functional Feeding Groups of Stream Invertebrates. *Appalachian Environmental Laboratory, University of Maryland, Frostburg Cont, No. 1611.*
- Cummins K.W., Wilzbach M.A., Gates D. M., Perry J.B. e Tagliaferro W.B., 1989. Shredders and riparian vegetation. *BioScience*, 39: 24 - 30.
- Cummins K.W., 1992. Catchment characteristics and River ecosystems. In: *River conservation and management* (P.J. Boon, P. Calow, G.E. Petts eds), J. Wiley e Sons, N. Y. pp. 125-136.
- Cushing C.E. e Allan J.D., 2001. *Streams: their ecology and life*, Academic Press, San Diego.
- Cushing C.E., McIntire D.C., Cummins K.W., Minshall G.W., Petersen R.C., Sedell J.R. e Vannote R.L., 1983. Relationships among chemical, physical and biological indices along a river continuum based on multivariate analyses. *Archiv für Hydrobiologie*, 98: 317-326.

**D**

- D'Aguilar J., Dommanget J.L. e Prechar R., 1990. Guida alle libellule d'Europa e del Nord Africa. Franco Muzzio Editore.
- Dahm C.N., 1981. Pathways and mechanisms for removal of dissolved organic carbon from leaf leachate in streams. *Canadian Journal of Fisheries and Aquatic Sciences*, 38: 68-76.
- Darrow P.O. e Holland R.S., 1989. Influence of a collector-filterer caddisfly (Trichoptera: *Hydropsyche betteni*, Ross) on leaf processing rates in an artificial stream. *Hydrobiologia*, 174: 201-205.
- Dewson Z.S., James A.B.W. e Death R.G., 2007. Invertebrate responses to short-term water abstraction in small New Zealand streams. *Freshwater Biology*, 52: 357-369.
- Didion M., Kupferschmid A.D., Wolf A. e Bugmann H., 2011. Ungulate herbivory modifies the effects of climate change on mountain forests. *Climatic Change*, 109: 647-669.
- Dobson M. e Hildrew A.G., 1992. A test of resource limitation among shredding detritivores in low order stream in southern England. *Journal of Animal Ecology*, 61: 69-77.
- Dodds W. K., Smith V. H., e Lohman K., 2002. Nitrogen and phosphorus relationships to benthic algal biomass in temperate streams. *Canadian Journal of Fisheries and Aquatic Science*, 59: 865- 874.
- Downes B.J., Hindell J.S. e Bond N.R., 2000. What's in a site? Variation in lotic macroinvertebrate density and diversity in a spatially replicated experiment. *Austral Ecology*, 25: 128-139.

**E**

- Elliott J.M., 1996. British freshwater Megaloptera and Neuroptera: A key with ecological Notes. Freshwater Biological Association, Scientific. Publishers. No. 54.
- Elwood J.W., Newbold J.D., Trimble A.F. e Stark R.W., 1981. The limiting role of phosphorus in a woodland stream ecosystem: effects of P enrichment on leaf decomposition and pri-mary producers. *Ecology*, 62: 146-158.

- Englund G., 1991. Effects of disturbance on stream moss and invertebrate community structure. *Journal of the North American Benthological Society*, 10: 143–153.

## F

- Fenoglio S., Agosta P., Bo T. e Cucco M., 2002. Field experiments on colonization and movements of stream invertebrates in an Apennine river (Visone, NW Italy). *Hydrobiologia*, 474: 125–130.
- Fenoglio S. e Bo T., 2004. Trophic characterization of *Dictyogenus alpinus* (Pictet, 1842 – Plecoptera Perlodidae) nymphs in the high Po Valley (NW Italy). *Zoologica baetica*, 15: 167-174.
- Fenoglio S., Bo T., Gallina G. e Cucco M., 2004a. Vertical distribution in the water column of drifting stream macroinvertebrates. *Journal of Freshwater Ecology*, 19: 485-492.
- Fenoglio S., Bo T. e Cucco M., 2004b. Small-scale macroinvertebrate distribution in a Neotropical Rainforest Stream. *Caribbean Journal of Science*, 40: 253-257.
- Fenoglio S., T. Bo, Agosta P. e Cucco M., 2005. Mass loss and macroinvertebrate colonisation of fish carcasses in riffles and pools of a NW Italian stream. *Hydrobiologia*, 532: 111-122.
- Fenoglio S., Bo T., Agosta P. e Malacarne G., 2005a. Temporal and spatial patterns of coarse particulate organic matter and macroinvertebrate distribution. *Journal of Freshwater Ecology*, 20:539-547.
- Fenoglio S., Bo T., Cucco M. e Malacarne G., 2006. Leaf breakdown patterns in a NW Italian stream: effect of leaf type, environmental conditions, and patch size. *Biologia Bratislava*, 61: 555-63.
- Fenoglio S., Bo T., Malacarne G., 2007. Preimaginal feeding habits of *Dictyogenus fontium* (Plecoptera, Perlodidae) in an alpine brook in NW Italy. *Entomologica Fennica*, 18: 27-31.
- Fenoglio S., T. Bo, Tierno de Figueroa J.M., López-Rodríguez M.J. e G.Malacarne, 2008. A comparison between local emergence patterns of *Perla grandis* and *Perla marginata* (Plecoptera, Perlidae). *Hydrobiologia*, 607: 11-16
- Fenoglio S. e Bo T., 2009. *Lineamenti di Ecologia Fluviale*. Città Studi Edizioni, De Agostini. 252 p.

- Fenoglio S., Bo T., López-Rodríguez M.J., Tierno de Figueroa J.M. e Malacarne G., 2009. Preimaginal feeding habits of *Isoperla carbonaria* Aubert, 1953 (Plecoptera: Perlodidae). *Aquatic Insects*, 31: 401–407.
- Fenoglio S., Bo T., Cucco M., Mercalli L. e Malacarne G., 2010. Effects of global climate change on freshwater biota: A review with special emphasis on the Italian situation. *Italian Journal of Zoology* 77: 374- 383.
- Fenoglio S., 2010a. Alla scoperta della natura in Valle Po. Parco del Po cuneese. 1-159 p.
- Fenoglio S., Bo T., Cammarata M., Malacarne G., Del Frate G., 2010b. Contribution of macro- and micro-consumers to the decomposition of fish carcasses in low-order streams: an experimental study. *Hidrobiologia*, 637: 219-228.
- Ferreira V., Elozegi A., Gulis V., Pozo J. e Graça M.A.S., 2006. Eucalyptus plantations affect fungal communities associated with leaf-litter decomposition in Iberian streams. *Archive Hydrobiology*, 166: 467-490.
- Finn D.S., Khamis K. e Milner A.M., 2012. Loss of small glaciers will diminish beta diversity in Pyrenean streams at two levels of biological organization. *Global Ecology and Biogeography*. doi:10.1111/j.1466-8238.2012.00766.x
- Fisher S.G. e Likens G.E., 1973. Energy flow in Bear Brook, New Hampshire: an integrative approach to stream ecosystem metabolism. *Ecological Monographs*, 43: 421-439.
- Fochetti R. e Tierno de Figueroa J.M., 2008. Fauna d'Italia: Plecoptera. Ed Calderini de il Sole 24 Ore. Milano. 339 pp.
- Franciscolo M.E., 1979. Fauna d'Italia. Coleoptera Haliplidae, Hygrobiidae, Gyrinidae, Dytiscidae. Edizioni Calderini, Bologna.
- Füreder L., 1999. High Alpine streams: cold habitat for insect larvae. In: Margesin, R. & F. Schinner (eds.): *Cold adapted organisms. Ecology, physiology, enzymology and molecular Biology*. Springer Verlag, Berlin.
- Füreder L., 2007. Life at the edge: habitat condition and bottom fauna of Alpine running waters. *International Review of Hydrobiology*, 92(4-5): 491-513.
- Fuller R.L., Roelofs J.L. e Fry T.J., 1986. The importance of algae to stream invertebrates. *Journal of the North American Benthological Society* 5: 290-296.

## G

- Gandolfi G. e Tongiorgi P., 1974. Taxonomic position, distribution and biology of the gobies present in the Italian fresh-waters, *Padogobius martensi* (Günther) and *Gobius niigricans* (Canestrini) (Osteichthyes, Gobiidae). *Annali del Museo Civico di Storia Naturale di Genova*, 80: 92–118.
- Garden A. e Davies R.W., 1988. Decomposition of leaf litter exposed to simulated acid rain in a buffered lotic system. *Freshwater Biology*, 22: 33-44.
- Garnier J., Billen G. e Coste M., 1995. Seasonal succession of diatoms and Chlorophyceae in the drainage network of the river Seine: observations and modelling. *Limnology and Oceanography*, 40: 750–765
- Gayanilo F.C., Sparre P. e Pauly D., 2002. FiSAT II ver. 1.2.0. Food and Agriculture Organization of the United Nations. (FAO) [Cited 11 Dec 2012.] Available from URL: <http://www.fao.org/fi/statist/fisoft/fisat/index.htm>
- Gazzera S., 1990. Alcuni aspetti della decomposizione di foglie in ambienti lotici: confronto fra un corso d'acqua americano ed uno italiano. Ph.D Tesi, Università di Parma: 106 pp.
- Gehrig-Fasel J., Guisan A., Zimmermann N.E., 2007. Tree line shifts in the Swiss Alps: climate change or land abandonment? *Journal of Vegetation Science*, 18: 571-582.
- Gerhard A., 1992. Qualitative and quantitative investigations on the detritus content of the Breitenbach (Eastern Hesse, FRG). *Archiv für Hydrobiologie*: 124: 35-51.
- Gessner M.O. e Schwoerbel J., 1989. Leaching kinetics of fresh leaf-litter with implications for the current concept of leaf-processing in streams. *Archiv für Hydrobiologie*, 115: 81-90.
- Gessner M.O. e Schwoerbel J., 1991. Fungal biomass associated with decaying leaf litter in a stream. *Oecologia*, 87: 602-603.
- Gessner M. e Chauvet E., 1997. Growth and production of aquatic hyphomycetes in decomposing leaf litter. *Limnology and Oceanography*, 42: 496-505.
- Gessner M.O., Chauvet E. e Dobson M., 1999. A perspective on leaf litter breakdown in streams. *Oikos*, 85: 377-384.
- Gessner M.O. e Robinson C.T., 2003. Aquatic hyphomycetes in alpine streams (In: *Ecology of a glacial flood plain*, Eds: J.V. Ward, U. Uehlinger). Dordrecht, Kluwer, pp. 123-136.

- Ghetti P.F., 1997. Manuale di applicazione Indice Biotico Esteso (I.B.E.), i macroinvertebrati nel controllo della qualità degli ambienti di acque correnti. Provincia Autonoma di Trento, Trento, 222 pp.
- Giller P.S. e Malmqvist B., 1998. The biology of streams and rivers. Oxford University Press, Oxford.
- Glime J.M. e Vitt D.H., 1987. A comparison of bryophyte species diversity and niche structure of montane streams and stream banks. *Canadian Journal of Botany*, 65: 1824-1837.
- Graça M.A.S., Barlocher F. e Gessner M.O., 2005. Methods to study litter decomposition: a practical guide. Springer, Dordrecht The Netherlands, 329 pp.
- Graça M.A.S., Ferreira R.C.F. e Coimbra C.N., 2001. Litter processing along a stream gradient: the role of invertebrates and decomposers. *Journal of the North American Benthological Society*, 20: 408-420.
- Grace J., Berninger F. e Nagy L., 2002. Impacts of climate change on the tree line.– *Annals of Botany*, London, 90: 537-544.
- Graf W., Lorenz A.W. Tierno de Figueroa J.M., Lücke S., López-Rodríguez M.J. e Davies C., 2009. Distribution and ecological preferences of Europea freshwater organisms. Volume 2. Plecoptera. Schmidt-Kloiber A., Hering D. (Eds.), Pensoft, Sofia-Moscow, pp. 262.
- Greenwood M.T. e Richardot-Coulet M., 1996. Aquatic invertebrates. In: *Fluvial hydrosystems*, G.E. Petts e Amoros C., Chapman e Hall Ed.
- Griffith M.B. e Perry S.A., 1993. Colonisation and processing of leaf litter by macro-invertebrate shredders in streams of contrasting pH. *Freshwater Biology*, 30: 93-103.
- Guareschi S., Laini A., Racchetti E., Bo T., Fenoglio S. e Bartoli M., 2012. How hydromorphological constraints and regulated flows govern macroinvertebrate communities along an entire lowland river. *Ecohydrology*, doi: 10.1002/eco.1354

## H

- Hagen E.M., Webster J.R. e Benfield E.F., 2006. Are leaf breakdown rates a useful measure of stream integrity along an agricultural land use gradient? *Journal of the North American Benthological Society*, 25: 330-343.

- Harmon M.E., Franklin J.F., Swanson F.J., Sollins P., Gregory S.V., Lattin J.D., Anderson N.H., Cline S.P., Aumen N.G., Sedell J.R., Lienkaemper G.W., Cromack K. e Cummins K.W., 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in ecological research* - vol. 34. Elsevier Academic Press, pp. 60-234.
- Hauer F.R. e Resh V.H., 1996. Benthic Macroinvertebrates, pp. 339-369 In: Hauer F.R. e Lamberti G.A., 1996. *Methods in Stream Ecology*. Academic Press, San Diego.
- Hauer F.R., Stanford J.A. e Lorang M.S., 2007. Pattern and process in Northern Rocky Mountain headwaters: Ecological linkages in the headwaters of the crown of the continent. *Journal of the American Water Works Association*, 43: 104-117.
- Hawkins C.P., Hogue J.N., Decker L.M. e Feminella J.W., 1997. Channel morphology, water temperature, and assemblage structure of stream insects. *Journal of the North American Benthological Society*, 16: 728-749.
- Hawkins C.P., Murphy M.L. e Anderson N.H., 1982. Effects of canopy, substrate composition, and gradient on the structure of macroinvertebrate communities in Cascade Range streams of Oregon. *Ecology*, 63: 1840-1856
- Hedges J.I, Ertel J.R., Quay P.D., Grootes P.M., Richey J.E., Devol A.H., Farwell G.W., Schmidt F.W. e Salati E., 1986. Organic Carbon-14 in the Amazon River System *Science*, 231: 1129-1131.
- Hellmann A., 2005. Cent'anni di veleno, Il Caso ACNA: l'ultima guerra civile Hickley, P. & S. Chare. 2002. Fisheries for non-native species in England: angling or the environment? *Fisheries Management and Ecology*, 11: 203-212.
- Hieber M. e Gessner M.O., 2002. Contribution of stream detritivores, fungi, and bacteria to leaf breakdown based on biomass estimates. *Ecology*, 83: 1026-1038.
- Hieber M., Robinson C.T., Uehlinger U. e Ward J.V., 2002. Are alpine lake outlets less harsh than other alpine streams? *Archiv für Hydrobiologie*, 154: 199-223.
- Hildrew A.G., Townsend C.R., Francis J.E. e Finch K., 1984. Cellulolytic decomposition in streams of contrasting pH and its relationship with invertebrate community structure. *Freshwater Biology*, 14: 323-328.
- Hill W.R. e Knight A.W., 1988. Nutrient and light limitation of algae in 2 northern California streams. *Journal of Phycology*, 24: 125-132
- Hill W.R. e Harvey B.C., 1990. Periphyton responses to higher trophic levels and light in a shaded stream. *Canadian Journal of Fisheries and Aquatic Sciences*, 47: 2307-2314.

- Hill W., Ryon R.M. e Schilling E.M., 1995. Light limitation in a stream ecosystem: responses by primary producers and consumers. *Ecology*, 76: 1297-1309.
- Hynes H.B., 1970. *The ecology of running waters*. University of Toronto Press., Toronto, Canada.

## I

- Irons J.G., Oswald M.W. e Bryant J.P., 1988. Consumption of leaf detritus by a stream shredder: influence of tree species and nutrient status. *Hydrobiologia*, 160: 53-61.
- Irons J.G., Oswald M.W., Stout R.J. e Pringle C. M., 1994. Latitudinal patterns in leaf litter breakdown: is temperature really important? *Freshwater Biology*, 32: 401-411.

## J

- Jacobsen D. e Friberg N., 1995. Food preference of the trichopteran larva *Anabolia nervosa* from two streams with different food availability. *Hydrobiologia*, 308: 139-144.

## K

- Kaushik N.K. e Hynes B.N., 1971. The fate of dead leaves that fall into streams. *Archiv für Hydrobiologie*, 68: 465-515.
- Kernan M., Battarbee R.W. e Moss B.R., 2010. *Climate change impacts on freshwater ecosystems*. John Wiley and Sons, Oxford, U.K., 314 pp.
- Kirby J.M., Webster J.R. e Benfield E.F., 1983. The role of shredders in detrital dynamics of permanent and temporary streams, pp. 425-435. In *Dynamics of Lotic Ecosystems*. (Eds T.D. Fontaine and S.M. Bartell.).
- Kohshima S., 1984: A novel cold-tolerant insect found in a Himalayan glacier. *Nature*, 310: 225-227.
- Körner C., 1998. A re-assessment of high elevation treeline positions and their explanation. *Oecologia*, 115: 445-459.
- Kottelat M. e Freyhof J., 2007. *Handbook of European freshwater fishes*. Cornol: Publications Kottelat.

- Kovács T. e Weinzierl A., 2003. The larva and life history of *Rhabdiopteryx hamulata* Klapálek, 1902 (Plecoptera: Taeniopterygidae). *Folia entomologica hungarica*, 64: 63-68.

## L

- Lamberti G.A. e Resh V.H., 1983. Stream periphyton and insect herbivores: an experimental study of grazing by a caddisfly population. *Ecology*, 64: 1124-1135.
- Lamberti G. A., Gregory S. V., Ashkenas L. R., Steinman A. D., e Mcintire C. D., 1989. Productive capacity of periphyton as a determinant of plant-herbivore interactions in streams. *Ecology*, 70: 1840-1856.
- Leff L.G. e Mcarthur J.V., 1990. Effect of nutrient content on leaf decomposition in a coastal plain stream: A comparison of green and senescent leaves. *Journal of Freshwater Ecology*, 5: 269-277.
- Lencioni V. e Maiolini B., 2001. L'ecologia di un sistema acquatico alpino (Val de la Mare, Parco Nazionale dello Stelvio). *Natura Alpina*, 54: 1-96
- Lencioni V., Maiolini B. e Margoni S., 2003. Il limite altitudinale di applicazione degli indici I.B.E. (indice biotico esteso) e I.F.F. (indice di funzionalità fluviale) in due sistemi fluviali alpini (Amola e Cornisello – Trentino). *Studi trentini di scienze naturali. Acta Biologica*, 78: 81-90.
- Lencioni V., 2004. Survival strategies of freshwater insects in cold environments. *Journal of Limnology*, 63(Suppl. 1): 45-55.
- Lock M.A. e Hynes H.B.N., 1976. The fate of “dissolved” organic carbon derived from autumnshed maple leaves (*Acer saccharum*) in a temperate hard-water stream. *Limnology and Oceanography*, 21, 3: 436-443
- Lods-Crozet B., Castella E., Cambin D., Ilg C., Knispel S., e Mayor-Simeant H., 2001. Macroinvertebrate community structure in relation to environmental variables in a Swiss glacial stream. *Freshwater Biology*, 46: 1641-1661.
- López-Rodríguez M.J. e Tierno de Figueroa J.M., 2006. Life cycle and nymphal feeding of *Rhabdiopteryx christinae* Theischinger 1975 (Plecoptera: Taeniopterygidae). *Annales de la Société Entomologique de France*, 42(1): 57-61.
- López-Rodríguez M.J., Tierno de Figueroa J.M. e Alba-Tercedor J., 2009. Life history of two burrowing aquatic insects in Southern Europe: *Leuctra geniculata* (Insecta: Plecoptera) and *Ephemera danica* (Insecta: Ephemeroptera). *Aquatic Insects*, 31: 99-110.

- López-Rodríguez M.J., Tierno de Figueroa J.M., Fenoglio S., Bo T. e Alba-Tercedor J. 2009a. Life strategies of 3 Perlodidae species (Plecoptera, Insecta) in a Mediterranean seasonal stream of Southern Europe. *Journal of the North American Benthological Society*, 28(3): 611-625.
- López-Rodríguez M.J., Tierno de Figueroa J.M. e Alba-Tercedor J. 2009b. Life history, feeding and secondary production of two Nemouroidea species (Plecoptera, Insecta) in a temporary stream of Southern Iberian Peninsula. *Fundamental and Applied Limnology (Archiv für Hydrobiologie)*, 175(2): 161-170.
- López-Rodríguez M.J., Tierno de Figueroa J.M., Bo T., Moggi A., Fenoglio S., 2012. Living apart together: on the biology of two sympatric *Leuctra* species (Plecoptera, Leuctridae) in an Apenninic stream (Italy). *International review of hydrobiology*. 97:117–123. 10.1002/iroh.201111413
- López-Rodríguez M.J., Luzón-Ortega J.M. e Tierno de Figueroa J.M., 2012a. On the biology of two high mountain populations of stoneflies (Plecoptera, Perlodidae) in southern Iberian Peninsula. *Limnetica*, in press.
- Lowe R.L. e Pan Y., 1996. Benthic algal communities and biological monitors, in: Stevenson R.J., Bothwell M., Lowe R.L. *Algal ecology: Freshwater benthic ecosystems*. Academic Press, San Diego, pp. 705–739.
- Lush D.L., e Hynes H.B., 1973. Formation of particles in freshwater leachates of dead leaves. *Limnology and Oceanography*, 18: 968-977.
- Lush D. L., e Hynes H. B., 1978. The uptake of dissolved organic matter by a small spring stream. *Hydrobiologia*, 60: 271-275.

## M

- Maamri A., Chauvet E., Chergui H., Gourbiere F. e Pattee E., 1998. Microbial dynamics on decaying leaves in a temporary Moroccan river. I – Bacteria – *Archiv für Hydrobiologie*, 144: 157-175.
- Maiolini B. e Bruno M.C., 2007. The River Continuum Concept revisited: lessons from the Alps. Pages 67-76 in R. Psenner, R. Lackner (editors). *Alpine space - man & environment*, vol. 3: The Water Balance of the Alps. Innsbruck University Press,, Innsbruck.
- Maiolini B. e Lencioni V., 2001. Longitudinal distribution of macroinvertebrate assemblages in a glacially influenced stream system in the Italian Alps. *Freshwater Biology*. 46:1625-1639.

- Mani M.S., 1990. Fundamentals of high altitude biology. Oxford & IBH Pub., New Delhi.
- Mathuriau C. e Chauvet E., 2002. Breakdown of leaf litter in a neotropical stream. *Journal of the North American Benthological Society*, 21: 384-396.
- McArthur J.V., 1988. Aquatic and terrestrial linkages: floodplain functions. p. 107-116. In *The Forested Wetlands of the Southern United States*, edited by D.D.
- McCafferty P., 1998. *Aquatic entomology*. Jones and Bartlett Publishers.
- McIntire C.D., 1973. Periphyton Dynamics in Laboratory Streams: A Simulation Model and Its Implications. *Ecological Monographs*, 43: 399-420.
- Merritt R.W. e Cummins K.W., 1984. Merritt R.W., *An introduction to the Aquatic Insects of North America*. Kendall/Hunt, Dubuque, IA, USA.
- Merritt R.W. e Lawson D.L., 1992. The role of macroinvertebrates in stream-floodplain dynamics. *Hydrobiologia*, 248: 65-77.
- Merritt R.W. e Cummins K.W., 1996a. *An introduction to the aquatic insects of North America*. Kendall/Hunt, Dubuque, IO, U.S.A., 860 pp.
- Merritt R.W. e Cummins K.W., 1996b. Trophic relations of macroinvertebrates, pp. 453 - 474 in F. R. Hauer e G. A. Lamberti (eds). *Methods in stream ecology*. Academic Press, San Diego, CA.
- Merritt R.W. e Cummins K.W., 2006: Trophic relations of macroinvertebrates. In: Hauer, F.R. & Lamberti, G.A. (eds.): *Methods in Stream Ecology*. 2nd ed. Academic Press, New York, pp. 585-610.
- Meyer J.L., 1980. Dynamics of phosphorus and organic matter during leaf decomposition in a forest stream. *Oikos*, 34: 44-53.
- Milner A. M., Brown L.E., e Hannah D.M., 2009. Hydroecological response of river systems to shrinking glaciers. *Hydrological Processes*, 23: 62-77.
- Milner A.M., Brittain J.E., Brown L. E. e Hannah D.M., 2010. Water sources and habitat of Alpine streams. *The Handbook of Environmental Chemistry*, 6: 175-191.
- Minelli A., 1979. Hirudinea. *Fauna d'Italia*, XV. Ed. Calderini, Bologna.
- Minshall G.W., 1978. Autotrophy in stream ecosystems. *Bioscience*, 28: 767-771.

- Minshall G.W., Brock J.T. e Lapoint T.W., 1982. Characterisation and dynamics of benthic organic matter and invertebrate functional feeding relationships in the upper Salmon River, Idaho (USA). *Internationale Revue der Gesamten Hydrobiologie*, 67: 793-820.
- Minshall G.W., 1984. Aquatic insect-substrate relationships, pp 358 - 400 in Resh V. H. and Rosenberg D. M.(eds). *The ecology of aquatic insects*. Praeger Publishers, New York.
- Minshall, G. W., Cummins, K. W., Petersen, R. C., Cushing, C. E., Bruns, D. A., Sedell, J. R., e Vannote, R. L., 1985. Developments in stream ecosystem theory. *Canadian Journal of Fisheries and Aquatic Sciences*, 42(5), 1045-1055.
- Miyairi K. e Tojo, K., 2007. Biology of the mayfly *Bleptus fasciatus* Eaton (Insecta: Ephemeroptera, Heptageniidae), with special reference to the distribution, habitat environment, life cycle, and nuptial behavior. *Limnology*, 8(2): 85-93.
- Morisi, A., Battezzore M. e Fenoglio S.. 2003. Ecological considerations on the presence and distribution of the genus *Epeorus* Eaton in the district of Cuneo (NW Italy) (Ephemeroptera: Heptageniidae). Pp. 373-376. In: E. Gaino (Ed.), *Research Update on Ephemeroptera & Plecoptera*. University of Perugia, Perugia, Italy.
- Moyle P.B., Li H.W. e Barton B.A., 1986. The Frankenstein effect: impact of introduced fishes on native fishes in North America. In: Stroud, R.H. (Ed.). *Fish culture in fisheries management*. American Fisheries Society, Bethesda, Maryland, pp. 415-426.
- Mulholland P.J., Elwood J.W., Newbold J.D. e Ferren L.A., 1985. Effect of a leaf-shredding invertebrate on organic matter dynamics and phosphorus spiralling in heterotrophic laboratory streams. *Oecologia*, 66: 199-206.

## N

- Naiman R.J. e Sedell J.R., 1980. Relationships between metabolic parameters and stream order in Oregon. *Canadian Journal of Fisheries and Aquatic Science*, 37: 834-8476.
- Naiman R.J., 1983. The annual pattern and spatial distribution of aquatic oxygen metabolism in boreal forest watersheds. *Ecological Monographs*, 53: 73-94.
- Naiman R.J., 1983. The influence of stream size on the food quality of seston. *Canadian Journal of Zoology*, 61: 1195-201
- Naiman R.J., Décamps H., e McClain M.E., 2005. *Riparia: Ecology, conservation, and management of streamside communities*. Elsevier Academic Press, San Diego.

- Newell R.I.E., Marshall N., Sasekumar A. e Chong V.C., 1995. Relative importance of benthic microalgae, phytoplankton, and mangroves as sources of nutrition for Penaeid prawns from Malaysia. *Marine Biology*, 123: 595-606.
- Niyogi D.K., Lewis W.M. e Mcknight D.M., 2001. Litter breakdown in mountain streams affected by mine drainage: biotic mediation of abiotic controls. *Journal of Applied Ecology*, 11: 506-516.

## O

- Obernborfer R.Y., McArthur J.V., Bames J.R. e Dixon J., 1984. The effect of invertebrate predators on leaf litter processing in an alpine stream. *Ecology*, 65: 1325-1331.
- Odum H.T., 1956. Primary production in flowing waters. *Limnology and Oceanography*, 1: 102-117.
- Ormerod S.J., 2009. Climate change, river conservation and the adaptation challenge. *Aquatic Conservation*. 19:609-613.

## P

- Parolo G. e Rossi G., 2008. Upward migration of vascular plants following a climate warming trend in the Alps. *Basic and Applied Ecology*, 9: 100-107.
- Pascoal C., Pinho M., Cassio F., Gomes P., 2003. Assessing structural and functional ecosystem condition using leaf breakdown: a study in a polluted river. *Freshwater Biology*, 48: 2033-2044.
- Pattee E., Bornard C. e Mourelatos S., 2000. La decomposition des feuilles mortes dans le réseau fluvial du Rhone: influence du milieu et principaux agents responsables. *Sciences de l'eau*, 5: 45-74.
- Peralta-Maraver I., López-Rodríguez M.J., Fenoglio S., Bo T., Luzón-Ortega J.M. e Tierno de Figueroa J.M., 2011. Macroinvertebrate colonization of two different tree species leaf packs (native vs. introduced) in a Mediterranean stream. *Journal of Freshwater Ecology*, 26: 495-505.
- Perrin R.A., Lu P., Marc Hant H.J., 1987. Seasonal variation in marine phytoplankton and ice algae at a shallow antarctic coastal site. *Hydrobiologia*, 146: 33-46
- Petersen R.C. e Cummins K.W., 1974. Leaf processing in a woodland stream. *Freshwater Biology*, 4: 343-368.

- Pidgeon R.W.J., 1978. Energy flow in a small stream community: an evaluation of the effects of different riparian vegetation. Ph.D. Thesis, University of New England, Armidale.
- Pinardi M., Bartoli M., Longhi D., Marzocchi U., Laini A., Ribaudò C. e Viaroli P., 2009. Benthic metabolism and denitrification in a river reach: a comparison between vegetated and bare sediments. *Journal of Limnology*, 68: 133-145.
- Pozo J., 1993. Leaf litter processing of alder and eucaliptus in the Aguera stream system (North Spain) I. Chemical changes. *Archiv für Hydrobiologie*, 127: 299-317.
- Price P.W., Denno R.F., Eubanks M.D., Finke D.L. e Kaplan I., 2011. *Insect ecology. Behavior, populations and communities*. Cambridge University Press, Cambridge. 801 pp.
- Prochazka K., Stewart B.A. e Davies B.R., 1991. Leaf litter retention and its implications for shredder distribution in two headwater streams. *Archiv für Hydrobiologie*, 120: 315-325.

## R

- Reice S.R., 1974. Environmental patchiness and the breakdown of leaf litter in a woodland stream. *Ecology*, 55: 1271-1282.
- Reice S.R., 1977. The role of animal associations and current velocity in sediment-specific leaf litter decomposition. *Oikos*, 29: 357-365.
- Reid G.K. e Wood R.D., 1976. *Ecology of Inland water and Estuaries*. 2nd Edn., D. Van. Nostrand Company, New York, 231pp.
- Resh V. e Rosenberg D., 1984. *The Ecology of Aquatic Insects*. Praeger, New York.
- Richardson J.S., 1992. Food, microhabitat, or both? Macroinvertebrate use of leaf accumulations in a montane stream. *Freshwater Biology*, 27: 169-176.
- Robinson C.T. e Gessner M.O., 2000. Leaf breakdown in an alpine spring brook. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie*, 27: 744-747.
- Robson B.J e Barmuta L.A., 1998. The effect of two scales of habitat architecture on benthic grazing in a river. *Freshwater Biology*, 39: 207-220.
- Rossetti, G., Viaroli, P. e Ferrari, I. 2009. Role of abiotic and biotic factors in structuring the metazoan plankton community in a lowland river. *River Research and Applications*, 25: 814-835.

- Rott E., Cantonati M., Füreder L. e Pister P., 2006. Benthic algae in high altitude streams of the Alps a neglected component of the aquatic biota. *Hydrobiologia*, 562: 195-216.
- Rounick J.S. e Winterbourn M.J., 1983. Leaf processing in two contrasting beech forest streams: effects of physical and biotic factors on litter breakdown. *Archiv für Hydrobiologie*, 96: 448-474.
- Rowe J.M., Meegan S.K., Engstrom E.S., Perry S.A. e William B.P., 1996. Comparison of leaf processing under different temperature regimes in three headwater streams. *Freshwater Biology*, 36: 277-288.
- Ruffo S. (Ed.), 1977-1985. Guide per il riconoscimento delle specie animali delle acque interne italiane. Collana del Progetto Finalizzato 'Promozione della Qualità dell'Ambiente', CNR, Roma.

## S

- Sabater S., Elozegi A., Acuña V., Basaguren A., Muñoz I. e Pozo J., 2008. Effect of climate on the trophic structure of temperate forested streams. A comparison of Mediterranean and Atlantic streams. *Stoten*, 390: 475-484.
- Sansoni G., 1988. Atlante per il riconoscimento dei macroinvertebrati dei corsi d'acqua italiani. Provincia Autonoma di Trento, Trento.
- Sedell J.R., Triska F.J. e Triska N.S., 1975. The processing of conifer and hardwood leaves in two coniferous forest streams. I. Weight loss and associated invertebrates. *Verhandlungen International Vereinen limnologie*, 19: 1617-1627
- Sheldon F. e Walker K.F., 1998. Spatial distribution of littoral invertebrates in the lower Murray–Darling River system, Australia. *Marine and Freshwater Research*, 49 (2): 171-182.
- Shieh S.H., Hsu C.B., Wang C.P. e Yang P.H., 2007. Leaf breakdown in a subtropical low order stream riffle and its associated macroinvertebrates. *Zoological Studies*, 46: 609-621.
- Short R.A., Canton S.P. e Ward J.V., 1980. Detritus processing and associated macroinvertebrates in a Colorado mountain stream. *Ecology*, 61: 727-732.
- Short R.A., Smith S.L., Guthrie D.W. e Stanford J.A., 1984. Leaf litter processing rates in four Texas, USA streams. *Journal of Freshwater Ecology*, 2: 469-474.

- Siligardi M., Ciutti F., Cappelletti C., Monauni C. E Giordani V., 1999. Il progetto R.I.M. regimazione idraulica e macrobenthos. Atti del Seminario di Studi: I biologi e l'ambiente...oltre il duemila. Cisba, 357-360.
- Silveri L., Tierno de Figueroa J.M., Maiolini B., 2008. Feeding habits of Perlodidae (Plecoptera) in the hyporheic habitats of Alpine streams (Trentino-NE Italy). *Entomologica Fennica*, 19: 176-183.
- Smock L.A., Metzler G.M. e Gladden J.E., 1989. Role of debris dams in the structure and functioning of low-gradient headwater streams. *Ecology*, 70: 764-775.
- Stagliano D.M., e Whiles M.R., 2002. Macroinvertebrate production and trophic structure in a tallgrass prairie headwater stream. *Journal of the North American Benthological Society*, 21: 97-113.
- Stagliano D.M., Whiles M.R., 2002. Macroinvertebrate production and trophic structure in a tallgrass prairie headwater stream. *Journal of the North American Benthological Society*, 21: 97-113.
- Steinman A.D. e Boston H.L., 1993. The ecological role of bryophytes in a woodland stream. *Journal of the North American Benthological Society*. 12(1): 17-26.
- Steinman A.D., 1992. Does an increase in irradiance influence periphyton in a heavily grazed woodland stream? *Oecologia*, 91: 163-170.
- Steinmann A.D. e Lamberti G.A., 1996. Biomass and pigments of benthic algae. Pages 295-313 *in* F. R. Hauer, and G. Lamberti (editors). *Methods in Stream Ecology*. Academic Press, New York,.
- Steinmann P., 1907: Die Tierwelt der Gebirgsbache. Eine faunistischbiologische Studie. *Annales de Biologie lacustre*, 2: 30-150.
- Stewart B.A. e Davies B.R., 1989. The influence of different litter bag designs on the breakdown of leaf material in a small mountain stream. *Hydrobiologia*, 183: 173-177.
- Stewart B.A., 1992. The effect of invertebrates on leaf decomposition rates in two small woodland streams in southern Africa. *Archiv fur Hydrobiologie*, 124: 19-33.
- Studemann D., Landolt P., Sartori M., Hefti D. e Tomka I., 1992. Ephemeroptera. *Insecta Helvetica. Fauna*, 9: 175 pp.
- Suberkropp K. e Klug M.J., 1974. Decomposition of deciduous leaf litter in a woodland stream. I. A scanning electron microscope study. *Microbial Ecology*, 1: 96-103.

- Suberkropp K., Klug M.J. e Cummins K.W., 1975. Community processing of leaf litter in a woodland stream. *Verhandlungen der internationale Vereinigung fur theoretische und angewandte. Limnologie*, 19: 1653-1658.
- Suberkropp K. e Klug M.J., 1976. Fungi and bacteria associated with leaves during processing in a woodland stream. *Ecology*, 57: 707-719.
- Suberkropp K. e Arsuffi T.L., 1984. Leaf processing capabilities of aquatic hyphomycetes: interspecific differences and influence on shredder feeding preferences. *Oikos*, 42: 144-154.
- Suberkropp K., 1991. Relationships between the growth and sporulation of aquatic Hyphomycetes on decomposing leaf litter. *Mycological Research*, 95: 843-850.
- Suberkropp K. e Chauvet E., 1995. Regulation of leaf breakdown by fungi in streams: influences of water chemistry. *Ecology*, 76: 1433-1445.
- Suren A.M., 1991. Bryophytes as invertebrate habitat in two New Zealand alpine streams *Freshwater Biology*, 26: 399-418
- Swan C.M. e Palmer M.A., 2004. Leaf diversity alters litter breakdown in a Piedmont stream. *Journal of the North American Benthological Society*, 23: 15-28.

## T

- Tachet H., Bournaud M. e Richoux P., 1984. Introduction a l'étude des macroinvertébrés des eaux douces. II ed, Paris, France.
- Tachet H., Bournaud M. e Richoux M., 2002. Introduction à l'étude des macroinvertébrés d'eau douce: (systématique élémentaire et aperç u écologique). Université Lyon 1, Villeurbanne, France, 155 pp.
- Tachet H., Richoux P., Bournaud M., e Usseglio-Pollatera P., 2006. Invertébrés d'eau douce, systématique, biologie, écologie. C.N.R.S. éditions, Paris, 587 pp.
- Tank J.L., Rosi-Marshall E.J., Griffiths N.A., Entekin S.A. e Stephen M.L., 2010. A review of allochthonous organic matter dynamics and metabolism in streams. *Journal of the North American Benthological Society* 29:118-146.
- Taylor B.R. e Barlocher F., 1996. Variable effects of air-drying on leaching losses from tree leaf litter. *Hydrobiologia*, 325: 173-182.
- Tierno de Figueroa J.M., Vera, A. e López-Rodríguez M.J., 2006. Adult and nymphal feeding in the stonefly species *Antarctoperla michaelsoni* and *Limnoperla jaffueli* from Central Chile (Plecoptera: Gripopterygidae). *Journal of General and Applied Entomology*, 29(1): 39-45.

- Tierno de Figueroa J.M., López-Rodríguez M.J., Fenoglio S., Sánchez-Castillo P. e Fochetti R., 2012. Freshwater biodiversity in the rivers of the Mediterranean Basin. *Hydrobiologia*, 719:137–186
- Tuchman N.C. e King R.H., 1993. Changes in mechanisms of summer detritus processing between wooded and agriculture sites in a Michigan headwater stream. *Hydrobiologia*, 268: 115-127.

## U

- Uehlinger U., Robinson C.T., Hieber M. e Zah R., 2010. The physico-chemical habitat template for periphyton in alpine glacial streams under a changing climate. *Hydrobiologia*, 657: 107-121.
- Uehlinger U., Zah R., e Burgi H., 1998. The Val Roseg project: Temporal and spatial patterns of benthic algae in an alpine stream ecosystem influenced by glacier runoff. IAHS Publication. 248: 419-424.
- Usseglio-Polatera P., Bournaud M., Richoux P., Tachet H., 2000. Biological and ecological traits of benthic fresh-water macroinvertebrates: relationships and definition of groups with similar traits. *Freshwater Biology*, 43: 175-205.

## V

- Vannote R.L., Minshall G.W., Cummins K.W., Sedell J. R. e C. E. Cushing., 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Science*, 37: 130-137.
- Viaroli P., Bartoli M., Bondavalli C., Christian R.R., Giordani G. e Naldi M., 1996. Macrophyte communities and their impact on benthic fluxes of oxygen, sulphide and nutrients in shallow eutrophic environments. In: *Coastal Lagoon Eutrophication and ANaerobic Processes (CLE AN)*. Springer Netherlands. p. 105-119.
- Vinson M.R. e Hawkins C.P., 1998. Biodiversity of stream insects: variation at local, basin, and regional scales. *Annual Review of Entomology*, 43: 271-293.

## W

- Wallace J.B., Eggert S.L., Meyer J.L. e Webster J.R., 1997. Multiple trophic levels of a forest stream linked to terrestrial litter inputs. *Science*, 277: 102–104.
- Ward J.V., 1994. Ecology of alpine streams. *Freshwater Biology*, 32: 277–294.

- Webster J.R. e Benfield E.F., 1986. Vascular plant breakdown in freshwater ecosystems. *Annual Review of Ecology and Systematic*, 17: 567-594.
- Webster J.R., 2007. Spiraling down the river continuum: stream ecology and the U-shaped curve. *Journal of the North American Benthological Society*, 26: 375-89.
- Wiggins G.B. e Mackay R.J., 1978. Some relationships between systematics and trophic ecology in nearctic aquatic insects, with special reference to Trichoptera. *Ecology*, 59: 1211 - 1220.
- Woodcock T.S. e Huryn A.D., 2005. Leaf litter processing and invertebrate assemblages along a pollution gradient in a Maine (USA) headwater stream. *Environmental Pollution*, 134: 363–375.

## Y

- Yanoviak S.P. e McCafferty W.P., 1996. Comparison of macroinvertebrate assemblages inhabiting pristine streams in the Huron Mountains of Michigan, USA. *Hydrobiologia*, 330: 195-211.
- Young R.G., Matthaei C.D. e Townsend C.R., 2008. Organic matter breakdown and ecosystem metabolism: functional indicators for assessing river ecosystem health *Journal of the North American Benthological Society*, 27:605–625.

## Z

- Zerunian S., 2002. *Condannati all'estinzione? Biodiversità, biologia, minacce e strategie di conservazione dei pesci d'acqua dolce indigeni in Italia*. Il Sole 24 Ore Ed. Agricole, Bologna. 220 pp.
- Zolezzi G., Siviglia A., Toffolon M. e Maiolini B., 2011. Thermopeaking in alpine streams: Event characterization and time scales. *Ecohydrology*, 4: 564-576.
- Zwick P. e Zwick H., 2010. Life history and development of *Dictyogenus fontium* (Plecoptera: Perlodidae) in two thermally contrasting streams at Lunz am See, Lower Austria. *Denisia*, 29: 459-475.
- Zwick P., 1977. Plecopteren-Emergenz zweier Lunzer Bäche 1972-1974. *Archiv fuer Hydrobiologie*, 80(4): 458-505.
- Zwick P., 1982. *Dictyogenus alpinum* (Plecoptera) im Schreierbach einem spezialisierten Biotop im Sinne Thienemanns. *Archiv fuer Hydrobiologie*, 95(1-4): 533-548.